



## **DRAFT VERSION**

### **Thirty-second Session of SOUTHEASTERN EUROPE CLIMATE OUTLOOK FORUM (SEECOF-32) October-November 2024**

#### **SEASONAL OUTLOOK FOR WINTER SEASON 2024/25 FOR THE SOUTH EASTERN EUROPE AND CAUCASUS REGION (SEE&C)**

Climate experts from WMO RA VI RCC Network Nodes on long-range forecasting (Meteo France, France and Roshydromet, Russia) and WMO RA VI RCC Network Node on climate monitoring (Deutscher Wetterdienst, Germany), UK Met-Office, Global Producing Centre ECMWF, International Research Institute for Climate and Society (IRI, USA), National Centers for Environmental Prediction (NCEP, USA), WMO RA VI RCC South East Europe Virtual Climate Change Centre (SEEVCCC, Serbia) and National Hydrometeorological Services of SEECOF region provided their valuable contribution to the successful implementation of SEECOF-32 by developing the relevant documents and providing scientific guidance and recommendations.

The SEECOF-32 comprised of the following Steps:

- Step 1: qualitative verification of the SEECOF-31 climate outlook for 2024 Summer;
- Step 2: assessment of the current state of the climate including large-scale climate patterns worldwide and assessments of its likely evolution in the course of the next months;
- Step 3: building the consensus forecast for 2024/25 winter season.


All relevant documentation is posted and updated in SEEVCCC web site: <http://www.seevccc.rs>

## SEECOF-32 CLIMATE OUTLOOK FOR THE 2024/25 WINTER SEASON

SEECOF-32 prediction is based on the output from dynamical models, including, inter alia, the operational products of the SEEVCCC centre, statistical models and teleconnections of large-scale climate features.

Observed sea surface temperatures and forecast for the coming three months indicate dominant La Niña conditions, a negative to positive Indian Ocean Dipole, and positive anomalies over the tropical and most of northern Atlantic Ocean, but with lower anomalies comparing to last winter. In the atmosphere, models show different cyclonic anomalies over Europe, and anticyclonic anomalies over the Middle East. Diagnostics of upper levels indicate a positive NAO phase and a moderate positive EA pattern unlike last winter which had a strongly positive EA.

The maps show the probabilistic consensus forecast for the tercile categories of anomalies for seasonal mean temperature and precipitation, relative to the 1991-2020 period. Due to the climate-warming trend, anomalies are affected by the selected reference period.



In the entire SEECOF region, winter temperatures are likely to be above-normal, with the probability increasing from the north (Zone 1 in Figure 1) towards the south of the region (Zone 2 in Figure 1).

Uncertainties in regional predictions are higher for precipitation than for temperature. Southern and eastern Turkey, Cyprus and Middle East are likely to experience below-normal conditions in terms of winter precipitation sums (Zone 2 in Figure 2). However, in the most of the SEECOF region, there is an equal probability for winter precipitation (Zone 1 in Figure 2). It is noteworthy that certain parts of the country, particularly mountainous regions, might observe near- or above-normal winter precipitation totals due to the episodes of enhanced convection accompanied by heavy precipitation.

## Reference:

Any further advice on the forecast signals, shorter-range updates and warnings will be available throughout the summer from the National Meteorological Services, along with the details on the methodology and skill of long-range predictions.

*\* The graphical representation of climate outlook in this statement is for guidance purposes only, and does not imply any opinion whatsoever concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries.*

## APPENDIX A: Contributors to SEECOF-32

- World Meteorological Organization
- Met Office, United Kingdom
- International Research Institute for Climate and Society, United States of America
- European Centre for Medium Range Weather Forecast
- Météo France, Republic of France
- Deutscher Wetterdienst, Federal Republic of Germany
- National Center for Environmental Prediction, United States of America
- Federal Service for Hydrometeorology and Environmental Monitoring, Russian Federation
- South East European Virtual Climate Change Center hosted by Republic Hydrometeorological Service of Serbia, Republic of Serbia
- North EuroAsian Climate Outlook Forum (NEACOF) led by Federal Service for Hydrometeorology and Environmental Monitoring, Russian Federation
- Mediterranean Climate Outlook Forum (MedCOF), led by Agencia Estatal de Meteorología, Spain
- Institute of Geosciences, Energy, Water and Environment, Albania
- Armenian State Hydrometeorological and Monitoring Service, Armenia
- National Institute of Meteorology and Hydrology, Republic of Bulgaria
- Meteorological and Hydrological Service, Republic of Croatia
- Meteorological Service, Republic of Cyprus
- Hellenic National Meteorological Service, Greece
- The National Environmental Agency of Georgia, Georgia
- Hungarian Meteorological Service, Hungary
- Israel Meteorological Service, State of Israel
- Republic Hydrometeorological Institute, Republic of North Macedonia
- State Hydrometeorological Service, Republic of Moldova
- Hydrometeorological Institute of Montenegro, Montenegro
- National Meteorological Administration, Romania
- Federal Hydrometeorological Service of the Federation of Bosnia and Herzegovina, Federation of Bosnia and Herzegovina, Bosnia and Herzegovina
- Republic Hydrometeorological Service of the Republic of Srpska, Republic of Srpska, Bosnia and Herzegovina
- Republic Hydrometeorological Service of Serbia, Republic of Serbia
- Turkish State Meteorological Service, Republic of Turkey
- Ukrainian Hydrometeorological Center, Ukraine